


圓柱滾子軸承-四列型

Four Row Cylindrical Roller Bearings



技術參數

軸承型號		外形尺寸					額定負荷		極限轉速		重量 Weight kg
Designation		Dimensions(mm)					Rated Load(KN)		Limited Speed (RPM)		
New	Old	d	D	B	r _s min	Fw(Ew)	Cr	Cor	Grease	Oil	
FC202780	-	100	135	80	1.5	110	200	510	3400	4000	3
FC202880	-	100	138	80	1.5	110	260	600	3400	4000	3.7
FC202870	672820K	100	140	70	1.5	111	190	410	3400	4000	3.5
FC2028104	672820	100	140	104	1.5	111	290	700	3400	4000	5.1
FC202970	672720	100	145	70	1.5	113	220	460	3400	4000	4.1
FC2030106		100	150	106	1.5	113	350	740	3400	4000	6.8
FC223080	-	110	150	80	1.5	122	240	600	3100	3800	4.4
FC223490	672722K	110	170	90	2	127	360	750	2800	2600	7.9

技術參數

軸承型號 Designation		外形尺寸 Dimensions(mm)					額定負荷 Rated Load(KN)		極限轉速 Limited Speed (RPM)		重量 Weight kg
New	Old	d	D	B	r _s min	Fw(Ew)	Cr	Cor	Grease	Oil	
FC2234120	672722	110	170	120	2	127	360	750	2800	3600	10.6
FC243692	-	120	180	92	2	137	375	820	2600	3400	8.7
FC2436105	672724	120	180	105	2	136	430	920	2600	3400	9.8
FC2436120	-	120	180	120	2	136	480	1060	2600	3400	11.2
FC2640104	-	130	200	104	2	150	480	1000	2400	3000	12.5
-	672726	130	200	125	3	149	530	1140	2400	3000	15
FC2838119	-	140	190	119	2	154	470	1250	2400	3000	9.5
FC2842100	-	140	210	100	2	158	500	1100	2200	2800	12.8
FC2842106	-	140	210	106	2	158	500	1100	2200	2800	13.6
FC2842125	-	140	210	125	2	158	620	1360	2200	2800	15.87
FC2842155	-	140	210	155	2	158	760	1770	2200	2800	19.6
FC2942155	-	145	210	155	2	166	720	1560	2200	2800	17.5
FC2945156	-	145	225	156	2	169	800	1940	2000	2600	24.4
FC3042120	-	150	210	120	2	166	600	1500	2200	2800	12.5
FCD3042120	-	150	210	120	2	166	600	1500	2200	2800	12.5
FC3044120	-	150	220	120	2	167	630	1360	2100	2700	15
SFC3045120	-	150	225	120	2	169	790	1560	2000	2600	17.3
FC3045120	672730K	150	225	120	2	169	725	1590	2000	2600	17.5
FC3045150	-	150	225	150	2	169	780	1750	2000	2600	20
FC3046156	672760	150	230	156	2	174	815	1660	2000	2600	23.5
SFC3046156	-	150	230	156	2	174	815	1900	2000	2600	23.5
FC3245168	-	160	225	168	2	183	950	2300	2000	2600	-
FC3246130	-	160	230	130	2.1	180	640	1610	2000	2600	18.7
SFC3246130	-	160	230	130	2.1	180	720	1500	2000	2600	18.5
-	672832	160	230	168	3	180	820	2220	2000	2600	24.2
FC3246168	-	160	230	168	2.1	179	890	2270	2000	2600	22.2
SFC3246168	-	160	230	168	2.1	180	910	2070	2000	2600	22
FC3248124	672732K	160	240	124	2.1	183	670	1500	1900	2400	20.6

技術參數

軸承型號 Designation		外形尺寸 Dimensions(mm)					額定負荷 Rated Load(KN)		極限轉速 Limited Speed (RPM)		重量 Weight kg
New	Old	d	D	B	r ₂ min	Fw(Ew)	Cr	Cor	Grease	Oil	
SFC3248124	-	160	240	124	2.1	183	780	1800	1900	2400	20.6
FC3248168	672732	160	240	168	2.1	183	955	2330	1900	2400	27.9
FCD3248168	-	160	240	168	2.1	183	955	2330	1900	2400	26
FC3252168	-	160	260	168	2.1	183	955	2330	1800	2300	38.2
FC3446130	-	170	230	130	2.1	188.5	680	1700	1900	2400	16.3
FC3446180	-	170	230	180	2	186	700	2000	1900	2400	22.7
FC3448130	-	170	240	130	2	190	830	1800	1800	2300	-
FC3450170	672734	170	250	170	2	192	1000	2400	1800	2200	29.9
SFC3450170	-	170	250	170	2.1	192	1050	2700	1800	2200	29.5
FC3452120	672734K	170	260	120	2.1	195	880	1770	1800	2200	24.2
SFC3452120	-	170	260	120	2.1	195	870	1770	1800	2200	-
FC3452150	672834	170	260	150	2.1	195	860	1900	1800	2200	30.2
FC3452170	-	170	260	170	2.1	196	1080	2460	1800	2200	34.9
SFC3452170	-	170	260	170	2.1	196	1050	2300	1800	2200	-
FC3452225	-	170	260	225	2.1	196	1270	3350	1800	2200	-
FC3650120	-	180	250	120	2.1	200	600	1580	1800	2200	19
FC3650130	-	180	250	130	2.1	200	740	1750	1800	2200	20.7
FC3650156	-	180	250	156	2.1	200	710	1900	1800	2200	24.7
SFC3650156	-	180	250	156	2.1	200	900	2400	1800	2200	24.5
FC3652120	672836	180	260	120	2.1	202	690	1860	1800	2200	20
FC3652124	-	180	260	124	2.1	202	720	1650	1800	2200	22.6
SFC3652124	-	180	260	124	2.1	202	875	1900	1800	2200	22.3
FC3652154	-	180	260	154	2.1	202	980	2200	1800	2200	28.2
FC3652160	-	180	260	160	2.1	202	900	2200	1800	2200	29.2
SFC3652168	-	180	260	168	2.1	202	1100	2500	1800	2200	30.5
FC3652168	672736	180	260	168	2.1	202	985	2500	1800	2200	30.7
FCD3652168	-	180	260	168	2.1	202	985	2500	1800	2200	30
FC3652180	-	180	260	180	2.1	202	1100	2560	1800	2200	32.9

技術參數

軸承型號 Designation		外形尺寸 Dimensions(mm)					額定負荷 Rated Load(KN)		極限轉速 Limited Speed (RPM)		重量 Weight kg
New	Old	d	D	B	r ₂ min	Fw(Ew)	Cr	Cor	Grease	Oil	
SFC3652180	-	180	260	180	2.1	202	1000	2600	1800	2200	32.6
FC3656180	-	180	280	180	2.1	207	1220	2580	1700	2000	43.4
SFC3656180	-	180	280	180	2.1	207	1200	2760	1700	2000	43
FC3852186	-	190	260	168	2.1	212	880	2560	1700	2000	27.9
FC3853124	672838K	190	265	124	2.1	213	820	1900	1700	2000	22.1
FC3854124	-	190	270	124	2.1	212	820	1900	1700	2000	24.2
-	672738K	190	270	168	2.1	212	1000	2450	1700	2000	32.7
FC3854168	-	190	270	168	2.1	212	1050	2700	1700	2000	32
FC3854170	-	190	270	170	2.1	213	890	2400	1700	2000	33
FC3854200	672738	190	270	200	2.1	212	950	2400	1700	2000	38
SFC3854200	-	190	270	200	2.1	212	1300	3150	1700	2000	38.2
FC3856200	-	190	280	200	2.1	214	1500	3350	1700	2000	-
FC4054120	-	200	270	120	2.1	222	615	1600	1600	1900	20.8
FC4054170	-	200	270	170	2.1	222	830	2350	1600	1900	29.5
FC4056170	-	200	280	170	2.1	222	1000	2700	1600	1900	31.5
FC4056180	-	200	280	188	2.1	222	1140	3100	1600	1900	35
FC4056200	-	200	280	200	2.1	222	1020	2690	1600	1900	39.9
-	672940	200	280	200	2.1	224	1150	2770	1600	1900	39.9
FC4058130	-	200	290	130	2.1	226	840	1950	1600	1900	29.9
FC4058192	672740	200	290	192	2.1	226	1073	2950	1600	1900	41.7
FCD4058192	-	200	290	192	2.1	226	1240	3250	1600	1900	41.4
FC4058202	-	200	290	202	2.1	226	1250	3250	1600	1900	43.5
FC4064216	-	200	320	216	2.1	233	1580	3600	1500	1800	66
FC4258192	-	210	290	192	2.1	234	1035	3000	1500	1800	40.6
FC4260170	-	210	300	170	2.1	234	1035	2800	1500	1800	41.4
FC4260210	672742	210	300	210	2.1	234	1300	3000	1500	1800	50.3
SFC4260210	-	210	300	210	2.1	234	1400	3400	1500	1800	50.5
FCD4260210	-	210	300	210	2.1	234	1300	3000	1500	1800	50

技術參數

軸承型號 Designation		外形尺寸 Dimensions(mm)					額定負荷 Rated Load(KN)		極限轉速 Limited Speed (RPM)		重量 Weight kg
New	Old	d	D	B	r ₂ min	Fw(Ew)	Cr	Cor	Grease	Oil	
FC4460192	672944	220	300	192	2.1	242	1085	3300	1400	1700	41.5
FC4462157	-	220	310	157	2.1	246	935	2500	1400	1700	39.7
SFC4462157	-	220	310	157	2.1	246	1135	2630	1400	1700	39.5
FC4462190	-	220	310	190	2.1	246	1285	3500	1400	1700	47.2
SFC4462192	-	220	310	192	2.1	246	1345	3200	1400	1700	48.5
FC4462192	672744	220	310	192	2.1	246	1105	3100	1400	1700	48.6
FC4462225	-	220	310	225	2.1	245	1470	4100	1400	1700	52.5
FC4464210	-	220	320	210	2.1	248	1320	3500	1400	1700	59.8
FC4466230	-	220	330	230	2.1	249	1720	4300	1300	1600	67.5
-	672844	220	340	192	2.1	246	1600	3440	1300	1600	65.6
SFC4468192	-	220	340	192	2.1	246	1820	3600	1300	1600	65.5
FC4666170	-	230	330	170	2.1	260	1145	2900	1300	1600	50.2
FC4666206	672746	230	330	206	2.1	260	1410	3800	1300	1600	60.8
FC4668260	-	230	340	260	2.1	261	1920	5300	1300	1600	81
FCD4668260	-	230	340	260	2.1	261	1920	5300	1300	1600	80
FC4673250	-	230	365	250	2.1	266	2400	4900	1300	1600	-
FC486620	672748	240	330	220	2.1	246	1840	4890	1300	1600	58.4
FCD4866220	-	240	330	220	2.1	246	1840	4890	1300	1600	58
-	672748K	240	340	192	2.1	266	1220	3150	1300	1600	58
FC4868129	-	240	340	192	2.1	266	1220	3150	1300	1600	58
FCD4870220	-	240	350	220	2.1	270	1630	4200	1300	1600	70
FC4872220	-	240	360	220	2.1	272	1800	4600	1200	1500	83
FC5068170	-	250	340	170	3	274	1145	3280	1200	1500	47.9
FCD5068170	-	250	340	170	3	274	1145	3280	1200	1500	47
SFC507020	-	250	350	220	3	278	1740	4400	1200	1500	69.5
FC5070220	672750	250	350	220	3	278	1350	3800	1200	1500	72.7
FCD5070220	-	250	350	220	3	278	1350	3800	1200	1500	72
FC5070230	-	250	350	230	3	278	1350	3800	1200	1500	74

技術參數

軸承型號 Designation		外形尺寸 Dimensions(mm)					額定負荷 Rated Load(KN)		極限轉速 Limited Speed (RPM)		重量 Weight kg
New	Old	d	D	B	r _s min	Fw(Ew)	Cr	Cor	Grease	Oil	
FC5072160	-	250	360	160	3	282	1080	2780	1100	1400	57
FC5072220	672750K	250	360	220	3	282	1500	4200	1100	1400	78.5
SFC5072220	-	250	360	220	3	282	1800	4600	1100	1400	78.5
FC5272192	-	260	360	192	3	288	1275	3450	1100	1400	62.3
SFC5272192	-	260	360	192	3	288	1500	3750	1100	1400	62
FC5272200	-	260	360	200	3	288	1485	4200	1100	1400	64.9
FC5274200	672752K	260	370	200	3	292	1410	4050	1100	1400	74.2
FC5274220	672752	260	370	220	3	292	1520	4350	1100	1400	75.8
SFC5274220	-	260	370	220	3	292	1900	4900	1100	1400	73.5
FC5274230	-	260	370	230	3	292	1550	4380	1100	1400	78.6
FC5276220	672752Y	260	380	220	3	292	1520	4350	1100	1400	91.2
FCD5276280	-	260	380	280	3	294	2300	6600	1100	1400	107
-	672852	260	380	280	3	295	1970	5700	1100	1400	114.5
FC5280200	-	260	400	200	4	296	1800	4050	1000	1300	95.6
FCD5280290	-	260	400	290	4	296	2710	7100	1000	1300	95.4
SFC5476230	-	270	380	230	3	298	2080	5170	1000	1300	85
FC5476230	672754	270	380	230	3	298	1752	4550	1000	1300	85.3
FC5476275	-	270	380	275	3	298	2240	6400	1000	1300	96
FC5478220	-	270	390	220	3	306	1840	5000	1000	1300	86
FC5478240	-	270	390	240	3	298	2150	5450	1000	1300	91.5
SFC5478240	-	270	390	240	3	298	2410	5680	1000	1300	-
FC5480220	-	270	400	220	3	305	1835	4570	1000	1300	100
FC5675200	672956	280	375	200	3	307	1480	4300	1000	1300	65.1
FC5676192	-	280	380	192	3	310	1430	4100	1000	1300	61.5
FC5676290	-	280	380	290	3	308	1890	5830	1000	1300	100
FCD5676290	-	280	380	290	3	308	1890	5830	1000	1300	100
FC5678200	672756	280	390	220	3	312	1800	5350	1000	1300	85.1
FCD5678200	-	280	390	220	3	312	1800	5350	1000	1300	85

技術參數

軸承型號 Designation		外形尺寸 Dimensions(mm)					額定負荷 Rated Load(KN)		極限轉速 Limited Speed (RPM)		重量 Weight kg
New	Old	d	D	B	r ₂ min	Fw(Ew)	Cr	Cor	Grease	Oil	
FC5678240	-	280	390	240	3	312	1765	5200	1000	1300	93.4
FC5678275	-	280	390	275	3	312	2240	6500	1000	1300	101
FCD5678275A	-	280	390	275	3	308	2250	6500	1000	1300	105.4
FCD56842801	-	280	420	280	3	308	2430	6600	1000	1300	143.4
FC5880180	-	290	400	180	4	320	1460	4000	950	1200	67
FC5882240	672758	290	410	240	4	320	2100	5670	950	1200	105
FCD5882240	-	290	410	240	4	320	2100	5670	950	1200	105
SFC5882240	-	290	410	240	4	320	2300	6200	950	1200	104
FCD5884300	-	290	420	300	4	327	2840	8200	950	1200	137
FC6084218	-	300	420	218	4	332	1940	5280	900	1100	91.5
FC6084240	672760	300	420	240	4	332	2060	5650	900	1100	107.8
FCD6084240	-	300	420	240	4	332	2225	5750	900	1100	107.5
FCD6084300	-	300	420	300	4	332	2310	6565	900	1100	134.7
FCDP6084300	-	300	420	300	4	332	2310	6565	900	1100	134.7
FCD6286240	-	310	430	240	4	344.5	2150	6300	900	1100	106
FC6488240	-	320	440	240	4	351	2120	3100	850	1000	113.9
FCD6488240	-	320	440	240	4	351	2120	3100	850	1000	113.9
FCD6488300	-	320	440	300	4	352	2530	7660	850	1000	142.3
FC6490240	-	320	450	240	4	355	2145	5860	850	1000	125.3
FCD6490240	-	320	450	240	4	355	2145	5860	850	1000	125
FC6492280	-	320	460	280	4	357	2450	6500	800	1000	159
FCD6492300	-	320	460	300	4	357	2800	8000	800	1000	164
FCD6492340	-	320	460	240	4	357	2900	8100	800	1000	193.1
FCD6496290	-	320	480	290	4	364	3170	8350	800	1000	185
FCD6496350	-	320	480	350	4	364	3710	10200	800	1000	224
FCDP6496350	-	320	480	350	4	364	3710	10200	800	1000	224
FCD6692340	-	330	460	340	4	356	2790	8260	800	1000	182
FCDP6692340	-	330	460	340	4	356	3190	9800	800	1000	182

技術參數

軸承型號 Designation		外形尺寸 Dimensions(mm)					額定負荷 Rated Load(KN)		極限轉速 Limited Speed (RPM)		重量 Weight kg
New	Old	d	D	B	r _s min	Fw(Ew)	Cr	Cor	Grease	Oil	
FC6890250	-	340	450	250	4	366	2165	6300	800	1000	113
FCD6890250	-	340	450	250	4	369	2045	6130	800	1000	112.6
FC6892260	-	340	460	260	4	370	2135	5950	800	1000	128.25
FCD6892260	-	340	460	260	4	370	2135	5950	800	1000	128
FCD6896280	-	340	480	280	4	374	2840	7800	750	950	159
FCD6896350	-	340	480	350	4	378	3270	9480	750	950	207
FCDP6896350	-	340	480	350	4	378	3270	9480	750	950	270
FCD70100380	-	350	500	380	5	389	3800	11400	700	900	242
FCD70104300	-	350	520	300	5	401	3300	9000	700	900	223
FCD72100250	-	360	500	250	4	394	2480	6730	700	900	146
FCD72102370A	672772	360	510	370	4	397	3760	5650	700	900	240
FCD72102380	-	360	510	380	4	399	4020	12070	700	900	247
FCD72104380	-	360	520	380	4	405	4120	12520	700	900	271
FCDP74104380	-	370	520	380	1.5	409	4160	12300	670	830	260.5
FCD74108400	-	370	540	400	4	416	3970	11200	670	830	322.4
FCD76108380	-	380	540	480	4	422	3770	10930	630	800	291
FCD76108400	-	380	540	400	4	422	4100	12000	630	800	-
FCDP76108400	-	380	540	400	2	422	4490	14000	630	800	-
FCDP78108320	-	390	540	320	2	431	4065	12200	-	-	-
FCDP78110310	-	390	5550	310	4	430	3940	11200	-	-	-
FCDP80112410	-	400	560	410	2	445	4825	15600	-	-	-
FCD80118440	-	400	590	440	5	450	5570	16600	-	-	-
FCDP80112410	-	410	560	400	2	450	4950	16000	-	-	-
FCDP82120440	-	410	600	440	2	460	5900	17300	-	-	-
FCD84116260	-	420	580	260	4	468	2880	9650	-	-	-
FCD84116320	-	420	580	320	4	463	3600	10800	-	-	-
FCDP84120440	-	420	600	440	4	470	5550	17600	-	-	-
FCD84124400	-	420	600	400	4	473	5330	15600	-	-	-

技術參數

軸承型號 Designation		外形尺寸 Dimensions(mm)					額定負荷 Rated Load(KN)		極限轉速 Limited Speed (RPM)		重量 Weight kg
New	Old	d	D	B	r _s min	Fw(Ew)	Cr	Cor	Grease	Oil	
FCDP88124450	-	440	620	450	2	487	6000	19600	-	-	-
FCDP88130355	-	440	650	355	4	494	5200	14000	-	-	-
FCDP90118300	-	450	590	300	4	490	3000	12000	-	-	-
FCDP2130424	-	460	650	420	3	510	6000	18300	-	-	-
FCDP92130470	-	460	650	470	3	509	6770	22400	-	-	-
FCDP96130450	-	480	650	450	2	525	6350	21200	-	-	-
FCD102146520	-	480	680	420	3	528	6400	19300	-	-	-
FCDP102152550	-	480	680	500	3	532	7325	22400	-	-	-
FCD100130260	-	500	650	260	5	542	-	-	-	-	-
FCDP100134450	-	500	670	450	5	540	5345	17500	470	580	463
FCD100136450	-	500	680	405	5	550	5495	16500	470	580	453
FCDP100136450	-	500	680	450	5	550	6350	22000	-	-	-
FCD1001424801	-	500	710	480	5	558	6160	216000	-	-	-
FCD100144400	-	500	720	400	5	558	6100	17600	-	-	-
FCD100144530	-	500	720	530	5	568	6200	19850	440	540	756
FCDP102136500	-	510	680	500	5	560	6900	26000	-	-	-
FCD102146520	-	510	730	520	6	569	7300	22000	-	-	-
FCDP1021522550	-	510	760	550	3	570	9300	26500	-	-	-
FCDP106152520	-	530	760	520	5	578	9000	28500	-	-	-
FCD106156500	-	530	780	500	6	591	7200	20400	-	-	-
FCDP106156570	-	530	780	570	3	601	9850	32500	-	-	-
FCDP110148510	-	550	740	510	2	600	7800	27000	-	-	-
FCDP110160520	-	550	800	520	6	612	9000	26500	-	-	-
FC110160560	-	550	800	560	6	610	9300	28000	-	-	-
-	6227/570	570	750	530	5	622	6750	25200	390	480	663
FCDP120164575	-	600	820	575	4	600	10000	26000	-	-	-
FCDP120174540	-	600	870	540	4	672	10150	31500	-	-	-
FCDP120174640	-	600	870	640	4	672	12000	40000	-	-	-

技術參數

軸承型號 Designation		外形尺寸 Dimensions(mm)					額定負荷 Rated Load(KN)		極限轉速 Limited Speed (RPM)		重量 Weight kg
New	Old	d	D	B	r ₂ min	Fw(Ew)	Cr	Cor	Grease	Oil	
FCDP122164430	-	610	820	430	3	665	7200	23600	-	-	-
FCDP130180650	-	650	900	650	7.5	704	13230	41500	-	-	-
FCDP130184670	-	650	920	670	4	723	13230	46500	-	-	-
FCD132164440	-	660	820	440	4	702	5745	22800	-	-	-
FCD1321176450	-	660	880	450	6	727	5550	23600	-	-	-
FCDP136188600	-	680	940	600	4	743	16900	53400	-	-	-
FCDP136196640	-	680	980	640	4	760	13250	41800	-	-	-
FCDP138196715	-	690	980	715	4	767.5	15230	51300	-	-	-
FCDP138196750	-	690	980	750	5	766	17000	53000	-	-	-
FCDP140186620	-	700	930	620	3	7631	11600	40850	-	-	-
FCDP140196700	-	700	980	700	6	774	17800	48200	-	-	-
FCDP142200715	-	710	1000	715	4	787.5	15400	53200	-	-	-
FCDP146188500	-	730	940	500	3	780	10150	42500	-	-	-
FCD146192620	-	730	960	620	3	790	11800	48750	-	-	-
FCDP146206750	-	730	1030	750	6	809	16000	555004	-	-	-
FCD150200500	-	750	1000	500	6	816	9460	32000	-	-	-
FCDP150200670	-	750	1000	670	3	813	13500	47500	-	-	-
FCDP156214780	-	780	1070	780	6	853	17200	57900	-	-	-
FCDP160216700	-	800	1080	700	3	878	15200	55500	-	-	-
FCDP160230850	-	800	1150	850	5	905	21000	76600	-	-	-
FCDP164226800	-	820	1130	800	6	903	18600	64600	-	-	-
FCDP170230840	-	850	1150	840	4	928	19600	72000	-	-	-
FCDP170236850	-	850	1180	850	5	940	20100	72700	-	-	-
FCDP170244900	-	850	1220	900	5	940	23000	84000	-	-	-
FCDP180244840	-	900	1220	840	4	989	20300	76000	-	-	-
FCDP180256930	-	900	1280	930	4	1000	25300	88350	-	-	-
FCD190260850	-	950	1300	850	5	1044	22168	81300	-	-	3500
FCDP190272857	-	950	1360	975	6	1075	26200	90000	-	-	-

技術參數

軸承型號 Designation		外形尺寸 Dimensions(mm)					額定負荷 Rated Load(KN)		極限轉速 Limited Speed (RPM)		重量 Weight kg
New	Old	d	D	B	r ₂ min	Fw(Ew)	Cr	Cor	Grease	Oil	
FCDP1902721000	-	950	1360	1000	5	1075	29200	90000	-	-	-
FCDP196262880	-	980	1310	880	6	1061.7	22000	82000	-	-	-
FCDP200272800	-	1000	1360	800	4	1101	22000	80000	-	-	-